EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	108	(3-d or 3-D or three-dimension$5 or three adj dimension$5 or 3-dimension$5 or 3dimension$5 or "3" adj dimension$5) WITH file near3 name	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 13:43
S2	16	(2-d or 2-D or two-dimension$5 or two adj dimension$5 or 2-dimension$5 or 2dimension$5 or "2" adj dimension$5) WITH (3-d or 3-D or three-dimension$5 or three adj dimension$5 or 3-dimension$5 or 3dimension$5 or "3" adj dimension$5) WITH file near3 name	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 13:45
S5	5	(3-d or 3-D or three-dimension$5 or three adj dimension$5 or 3-dimension$5 or 3dimension$5 or "3" adj dimension$5) WITH file near3 name AND 382/154.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 14:46
S6	22	(2-d or 2-D or two-dimension$5 or two adj dimension$5 or 2-dimension$5 or 2dimension$5 or "2" adj dimension$5) SAME (3-d or 3-D or three-dimension$5 or three adj dimension$5 or 3-dimension$5 or 3dimension$5 or "3" adj dimension$5) WITH file near3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 14:56

		name				
S7	48	(2-d or 2-D or two-dimension$5 or two adj dimension$5 or 2-dimension$5 or 2dimension$5 or "2" adj dimension$5) SAME (3-d or 3D or three-dimension$5 or three adj dimension$5 or 3-dimension$5 or 3dimension$5 or "3" adj dimension$5) SAME (filename or file-name or (file near3 name) or extension$3 or director$3) SAME (sort$5 or designat$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 15:46
S9	36	(2-d or 2-D or two-dimension$5 or two adj dimension$5 or 2-dimension$5 or 2dimension$5 or "2" adj dimension$5) SAME (3-d or 3D or three-dimension$5 or three adj dimension$5 or 3-dimension$5 or 3dimension$5 or "3" adj dimension$5) SAME extension$3 SAME (sort$5 or designat$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 15:52
S10	8	(2-d or 2-D or two-dimension$5 or two adj dimension$5 or 2-dimension$5 or 2dimension$5 or "2" adj dimension$5) SAME (3-d or 3D or three-dimension$5 or three adj dimension$5 or 3-dimension$5 or 3dimension$5 or "3" adj dimension$5) WITH extension$3 SAME (sort$5 or	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 15:52

		designat$6)				
S11	4	(2-d or 2-D or two-dimension$5 or two adj dimension$5 or 2-dimension$5 or 2dimension$5 or "2" adj dimension$5) WITH (3-d or 3D or three-dimension$5 or three adj dimension$5 or 3-dimension$5 or 3dimension$5 or "3" adj dimension$5) WITH extension$3 SAME (sort$5 or designat$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 15:52
S14	76	(2-d or 2-D or two-dimension$5 or two adj dimension$5 or 2-dimension$5 or 2dimension$5 or "2" adj dimension$5) SAME (3-d or 3D or three-dimension$5 or three adj dimension$5 or 3-dimension$5 or 3dimension$5 or "3" adj dimension$5) WITH extension$3 AND "382".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 15:53
S16	17	(2-d or 2-D or two-dimension$5 or two adj dimension$5 or 2-dimension$5 or 2dimension$5 or "2" adj dimension$5) SAME (3-d or 3D or three-dimension$5 or three adj dimension$5 or 3-dimension$5 or 3dimension$5 or "3" adj dimension$5) WITH extension$3 AND (382/154).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 15:54

S19	4	(2-d or 2-D or two-dimension$5 or two adj dimension$5 or 2-dimension$5 or 2dimension$5 or "2" adj dimension$5) SAME (3-d or 3D or three-dimension$5 or three adj dimension$5 or 3-dimension$5 or 3dimension$5 or "3" adj dimension$5) WITH extension$3 WITH (designat$5 or sort$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 15:58
S21	27	sort$5 near3 files SAME name SAME extension SAME director$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 16:03
S22	4	sort$5 near3 files SAME name SAME extension SAME director$3 and (3-d or 3-D or three-dimension$5 or three adj dimension$5 or 3-dimension$5 or 3dimension$5 or "3" adj dimension$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 16:04
S23	132	file WITH manag$5 AND files SAME name SAME extension SAME director$3 and (3-d or 3-D or three-dimension$5 or three adj dimension$5 or 3-dimension$5 or 3dimension$5 or "3" adj dimension$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 16:09

S26	37	file WITH (manag$5 or designat$5 or sort$5) AND (3-d or 3-D or three-dimension$5 or three adj dimension$5 or 3-dimension$5 or 3dimension$5 or "3" adj dimension$5) WITH extension	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 16:11
S27	37	file WITH (manag$5 or designat$5 or sort$5) AND (3-d or 3-D or three-dimension$5 or three adj dimension$5 or 3-dimension$5 or 3dimension$5 or "3" adj dimension$5) WITH extension	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 16:11
S28	28	file WITH (manag$5 or designat$5 or sort$5) AND (3-d or 3-D or three-dimension$5 or three adj dimension$5 or 3-dimension$5 or 3dimension$5 or "3" adj dimension$5) WITH extension AND (2-d or 2-D or two-dimension$5 or two adj dimension$5 or 2-dimension$5 or 2dimension$5 or "2" adj dimension$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 16:11
S29	30	file AND (3-d or 3-D or three-dimension$5 or three adj dimension$5 or 3-dimension$5 or 3dimension$5 or "3" adj dimension$5) WITH different WITH extension AND (2-d or 2-D or two-dimension$5 or two adj dimension$5 or 2-dimension$5 or 2dimension$5 or "2" adj dimension$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 16:15

S30	310	file AND (3-d or 3-D or three-dimension $5 or three adj dimension$5 or 3-dimension$5 or 3dimension$5 or "3" adj dimension$5) WITH extension AND (2-d or 2-D or two-dimension$5 or two adj dimension$5 or 2-dimension$5 or 2dimension$5 or "2" adj dimension$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 16:17
S31	5	file AND (3-d or 3-D or three-dimension $5 or three adj dimension$5 or 3-dimension$5 or 3dimension$5 or "3" adj dimension$5) WITH extension AND (2-d or 2-D or two-dimension$5 or two adj dimension$5 or 2-dimension$5 or 2dimension$5 or "2" adj dimension$5) AND 382/154.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 16:17
S32	1	(3-d or 3-D or three-dimension$5 or three adj dimension $5 or 3-dimension$5 or 3dimension$5 or "3" adj dimension$5) WITH extension SAME file AND (2-d or 2-D or two-dimension$5 or two adj dimension$5 or 2-dimension$5 or 2dimension$5 or "2" adj dimension$5) AND 382/154.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 16:18

S33	34	(3-d or 3-D or three-dimension$5 or three adj dimension$5 or 3-dimension$5 or 3dimension$5 or "3" adj dimension$5) WITH extension SAME file AND (2-d or 2-D or two-dimension$5 or two adj dimension$5 or 2-dimension$5 or 2dimension$5 or "2" adj dimension$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 16:18
S34	9	(3-d or 3-D or three-dimension$5 or three adj dimension$5 or 3-dimension$5 or 3dimension$5 or "3" adj dimension$5) WITH file near2 extension AND (2-d or 2-D or two-dimension$5 or two adj dimension$5 or 2-dimension$5 or 2dimension$5 or "2" adj dimension$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 16:21
S35	7	(382/154).ccls. AND recording AND file AND directory AND (filename or file-name or file near2 name)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 18:08
S42	1	(382/154).ccls. AND integrat$5 WITH images AND recording AND (formatt$5 or control$5) AND director$3 AND file near4 creat$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 18:34
S43	3	(382/154).ccls. AND integrat$5 WITH images AND recording AND (formatt$5 or control$5) AND director$3 AND file	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 18:35

S44	5	(382/154).ccls. AND integrat$5 WITH images AND record $5 AND (formatt$5 or control$5) AND director$3 AND file	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 18:36
S45	14	(382/154).ccls. AND integrat$5 WITH images AND record $5 AND (formatt$5 or control$5) AND file near3 (creat$5 or generat$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 18:38
S46	12	(382/154).ccls. AND integrat$5 WITH images AND record $5 AND (formatt$5 or control$5) AND file near3 (creat$5 or generat$5) NOT S44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 18:38
S50	3	(382/154).ccls. AND integrat$5 WITH images AND record $5 AND file AND directory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 18:41
S51	55	(382/154).ccls. AND record$5.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 18:44
S52	19	(382/154).ccls. AND record$5.ti. AND file	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 18:44
S55	2	(382/154).ccls. AND record$5 AND integrat$5 near4 image AND file AND directory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 18:56
S56	28	(382/154).ccls. AND record$5 AND integrat$5 near4 image AND file	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 18:56

S57	18	(382/154).ccls. AND record$5 AND file AND directory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 18:58
S58	16	(382/154).ccls. AND record$5 AND file AND directory AND (3-d or 3-D or three-dimension$5 or three adj dimension$5 or 3-dimension$5 or 3dimension$5 or "3" adj dimension$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 19:15
S59	28	(382/154).ccls. AND record$5 AND file near3 creat$5 AND (3-d or 3-D or three-dimension$5 or three adj dimension$5 or 3-dimension$5 or 3dimension$5 or "3" adj dimension$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 19:20
S61	4	"2002095018"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 20:04

5/22/2009 4:58:00 PM
C:\ Documents and Settings\ erice\ My Documents\ EAST\ Workspaces\ 10553350b.wsp